








Ø30 Round Standard Lever Selector Switches (S3SF Series)

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Standard short lever, flush	 S3SF-S1R□ 	2-position, spring return		S3SF-S1□A(M)	1	—	—	—									
				S3SF-S1□2A(M)	2	—											
				S3SF-S1□B(M)	—	1											
				S3SF-S1□2B(M)	—	2											
				S3SF-S1□AB(M)	1	1											
		2-position, maintained		S3SF-S3□A(M)	1	—											
				S3SF-S3□2A(M)	2	—											
				S3SF-S3□B(M)	—	1											
				S3SF-S3□2B(M)	—	2											
				S3SF-S3□AB(M)	1	1											
		3-position, spring return two-way		S3SF-S5K□2A(M)	2	—											
				S3SF-S5K□2B(M)	—	2											
				S3SF-S5K□AB(M)	1	1											
		3-position, maintained		S3SF-S7K□2A(M)	2	—											
				S3SF-S7K□2B(M)	—	2											
				S3SF-S7K□AB(M)	1	1											
		3-position, spring return from right		S3SF-SAK□2A(M)	2	—											
				S3SF-SAK□2B(M)	—	2											
				S3SF-SAK□AB(M)	1	1											
		3-position, spring return from left		S3SF-SCK□2A(M)	2	—											
				S3SF-SCK□2B(M)	—	2											
				S3SF-SCK□AB(M)	1	1											
※□ indicates color : W , R ※The M in the model name indicates modular type contact block. Models without M are singular contact block. ※The control unit and contact blocks are sold separately. (control unit: bold letters, contact block: regular letters) ※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
• Dimensions (unit: mm) <table><tr><td></td><td>A</td><td>B</td></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	

Type	Appearance	Operating position		Model	Contact block		LED block									
					A contact	B contact	AC/DC voltage	AC voltage								
Standard short lever, flush	 S3SF-S1R□ 	3-position, spring return two-way		S3SF-S5□2A(M)	2	—	—	—								
			S3SF-S5□2B(M)	—	2											
			S3SF-S5□AB(M)	1	1											
		3-position, maintained		S3SF-S7□2A(M)	2	—										
				S3SF-S7□2B(M)	—	2										
				S3SF-S7□AB(M)	1	1										
		3-position, spring return from right		S3SF-SA□2A(M)	2	—										
				S3SF-SA□2B(M)	—	2										
				S3SF-SA□AB(M)	1	1										
		3-position, spring return from left		S3SF-SC□2A(M)	2	—										
				S3SF-SC□2B(M)	—	2										
				S3SF-SC□AB(M)	1	1										
		※□ indicates color : W , R ※The M in the model name indicates modular type contact block. Models without M are singular contact block. ※The control unit and contact blocks are sold separately. (control unit: bold letters, contact block: regular letters) ※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.														
		• Dimensions (unit: mm) <table border="1" data-bbox="1211 1431 1442 1509"><thead><tr><th></th><th>A</th><th>B</th></tr></thead><tbody><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></tbody></table>									A	B	Singular type	57.7	27.0	Modular type
	A	B														
Singular type	57.7	27.0														
Modular type	55.7	25.0														
※For panel cut-out dimensions, please refer to page A-105.																

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches

Mushroom-head Push Button Switches





Emergency Switches

Pilot Lights

Accessories

Buzzers

A-88

Type	Appearance	Operating position		Model	Contact block		LED block									
					A contact	B contact	AC/DC voltage	AC voltage								
Standard long lever, flush	 S3SF-S2W□ 	3-position, spring return two-way		S3SF-S6□2A(M)	2	—	—	—								
			S3SF-S6□2B(M)	—	2											
			S3SF-S6□2AB(M)	1	1											
		3-position, maintained		S3SF-S8□2A(M)	2	—										
				S3SF-S8□2B(M)	—	2										
				S3SF-S8□AB(M)	1	1										
		3-position, spring return from right		S3SF-SB□2A(M)	2	—										
				S3SF-SB□2B(M)	—	2										
				S3SF-SB□AB(M)	1	1										
		3-position, spring return from left		S3SF-SD□2A(M)	2	—										
				S3SF-SD□2B(M)	—	2										
				S3SF-SD□AB(M)	1	1										
		※□ indicates color : W, R ※The M in the model name indicates modular type contact block. Models without M are singular contact block. ※The control unit and contact blocks are sold separately. (control unit: bold letters, contact block: regular letters) ※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.														
		• Dimensions (unit: mm) <table border="1" data-bbox="1216 1503 1445 1579"><thead><tr><th></th><th>A</th><th>B</th></tr></thead><tbody><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></tbody></table> ※For panel cut-out dimensions, please refer to page A-105.									A	B	Singular type	57.7	27.0	Modular type
	A	B														
Singular type	57.7	27.0														
Modular type	55.7	25.0														

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches

Mushroom-head Push Button Switches





Emergency Switches







Pilot Lights

Accessories





Buzzers

Ø30 Round Shark Lever Selector Switches (S3SFN Series)

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Short shark-head lever, flush	 S3SFN-S1AW□ 	2-position, spring return		S3SFN-S1A□A(M)	1	—	—	—									
				S3SFN-S1A□2A(M)	2	—											
				S3SFN-S1A□B(M)	—	1											
				S3SFN-S1A□2B(M)	—	2											
				S3SFN-S1A□AB(M)	1	1											
		2-position, maintained		S3SFN-S3A□A(M)	1	—											
				S3SFN-S3A□2A(M)	2	—											
				S3SFN-S3A□B(M)	—	1											
				S3SFN-S3A□2B(M)	—	2											
				S3SFN-S3A□AB(M)	1	1											
		2-position, spring return		S3SFN-S1B□A(M)	1	—											
				S3SFN-S1B□2A(M)	2	—											
				S3SFN-S1B□B(M)	—	1											
				S3SFN-S1B□2B(M)	—	2											
				S3SFN-S1B□AB(M)	1	1											
		2-position, maintained		S3SFN-S3B□A(M)	1	—											
				S3SFN-S3B□2A(M)	2	—											
				S3SFN-S3B□B(M)	—	1											
				S3SFN-S3B□2B(M)	—	2											
				S3SFN-S3B□AB(M)	1	1											
		2-position, spring return		S3SFN-S1□A(M)	1	—											
				S3SFN-S1□2A(M)	2	—											
				S3SFN-S1□B(M)	—	1											
				S3SFN-S1□2B(M)	—	2											
				S3SFN-S1□AB(M)	1	1											
※□ indicates color : W , R																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※The control unit and contact blocks are sold separately. (control unit: bold letters, contact block: regular letters)																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
• Dimensions																	
(unit: mm)																	
<table><tr><th></th><th>A</th><th>B</th></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Short shark-head lever, flush	 S3SFN-S1AW□ 	3-position, spring return two-way		S3SFN-S5K□2A(M)	2	—	—	—									
			S3SFN-S5K□2B(M)	—	2												
			S3SFN-S5K□AB(M)	1	1												
		3-position, maintained		S3SFN-S7K□2A(M)	2	—											
			S3SFN-S7K□2B(M)	—	2												
			S3SFN-S7K□AB(M)	1	1												
		3-position, spring return from right		S3SFN-SAK□2A(M)	2	—											
			S2SFN-SAK□2B(M)	—	2												
			S2SFN-SAK□AB(M)	1	1												
		3-position, spring return from left		S2SFN-SCK□2A(M)	2	—											
			S2SFN-SCK□2B(M)	—	2												
			S2SFN-SCK□AB(M)	1	1												
		3-position, spring return two-way		S3SFN-S5□2A(M)	2	—											
			S3SFN-S5□2B(M)	—	2												
			S3SFN-S5□AB(M)	1	1												
		3-position, maintained		S3SFN-S7□2A(M)	2	—											
			S3SFN-S7□2B(M)	—	2												
			S3SFN-S7□AB(M)	1	1												
		3-position, spring return from right		S3SFN-SA□2A(M)	2	—											
			S2SFN-SA□2B(M)	—	2												
			S2SFN-SA□AB(M)	1	1												
		3-position, spring return from left		S2SFN-SC□2A(M)	2	—											
			S2SFN-SC□2B(M)	—	2												
			S2SFN-SC□AB(M)	1	1												
※□ indicates color : W , R																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※The control unit and contact blocks are sold separately. (control unit: bold letters, contact block: regular letters)																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
• Dimensions																	
(unit: mm)																	
																	
<table><tr><td></td><td>A</td><td>B</td></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	

Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Long shark-head lever, flush	 S3SFN-S2AR□ 	2-position, spring return		S3SFN-S2A□A(M)	1	—	—	—									
				S3SFN-S2A□2A(M)	2	—											
				S3SFN-S2A□B(M)	—	1											
				S3SFN-S2A□2B(M)	—	2											
				S3SFN-S2A□AB(M)	1	1											
		2-position, maintained		S3SFN-S4A□A(M)	1	—											
				S3SFN-S4A□2A(M)	2	—											
				S3SFN-S4A□B(M)	—	1											
				S3SFN-S4A□2B(M)	—	2											
				S3SFN-S4A□AB(M)	1	1											
		2-position, spring return		S3SFN-S2B□A(M)	1	—											
				S3SFN-S2B□2A(M)	2	—											
				S3SFN-S2B□B(M)	—	1											
				S3SFN-S2B□2B(M)	—	2											
				S3SFN-S2B□AB(M)	1	1											
		2-position, maintained		S3SFN-S4B□A(M)	1	—											
				S3SFN-S4B□2A(M)	2	—											
				S3SFN-S4B□B(M)	—	1											
				S3SFN-S4B□2B(M)	—	2											
				S3SFN-S4B□AB(M)	1	1											
		2-position, spring return		S3SFN-S2□A(M)	1	—											
				S3SFN-S2□2A(M)	2	—											
				S3SFN-S2□B(M)	—	1											
				S3SFN-S2□2B(M)	—	2											
				S3SFN-S2□AB(M)	1	1											
※□ indicates color : W , R																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※The control unit and contact blocks are sold separately. (control unit: bold letters, contact block: regular letters)																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
• Dimensions																	
(unit: mm)																	
																	
<table border="1"><thead><tr><th></th><th>A</th><th>B</th></tr></thead><tbody><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></tbody></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches


Mushroom-head Push Button Switches

Emergency Switches

Pilot Lights

Accessories

Buzzers

Type	Appearance	Operating position	Model	Contact block		LED block	
				A contact	B contact	AC/DC voltage	AC voltage
Long shark-head lever, flush	  S3SFN-S2AR□	3-position, spring return two-way	 S3SFN-S6K□2A(M)	2	—	—	—
			S3SFN-S6K□2B(M)	—	2		
			S3SFN-S6K□AB(M)	1	1		
		3-position, maintained	 S3SFN-S8K□2A(M)	2	—		
			S3SFN-S8K□2B(M)	—	2		
			S3SFN-S8K□AB(M)	1	1		
		3-position, spring return from right	 S3SFN-SBK□2A(M)	2	—		
			S3SFN-SBK□2B(M)	—	2		
			S3SFN-SBK□AB(M)	1	1		
		3-position, spring return from left	 S3SFN-SDK□2A(M)	2	—		
			S3SFN-SDK□2B(M)	—	2		
			S3SFN-SDK□AB(M)	1	1		
		3-position, spring return two-way	 S3SFN-S6□2A(M)	2	—		
			S3SFN-S6□2B(M)	—	2		
			S3SFN-S6□AB(M)	1	1		
		3-position, maintained	 S3SFN-S8□2A(M)	2	—		
			S3SFN-S8□2B(M)	—	2		
			S3SFN-S8□AB(M)	1	1		
		3-position, spring return from right	 S3SFN-SB□2A(M)	2	—		
			S3SFN-SB□2B(M)	—	2		
			S3SFN-SB□AB(M)	1	1		
		3-position, spring return from left	 S3SFN-SD□2A(M)	2	—		
			S3SFN-SD□2B(M)	—	2		
			S3SFN-SD□AB(M)	1	1		

※□ indicates color : **W**, **R**

※The M in the model name indicates modular type contact block. Models without M are singular contact block.

※The control unit and contact blocks are sold separately.


(control unit: bold letters, contact block: regular letters)

※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots.

It will not operate if connected to the center slot.

• Dimensions

(unit: mm)









	A	B
Singular type	57.7	27.0
Modular type	55.7	25.0

※For panel cut-out dimensions, please refer to page A-105.







Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Short shark-head lever, flush (illuminated)	 S3SFN-L1AG□ 	2-position, spring return		S3SFN-L1A□AL(M)	1	—	—	1									
				S3SFN-L1A□2AL(M)	2	—											
				S3SFN-L1A□BL(M)	—	1											
				S3SFN-L1A□2BL(M)	—	2											
				S3SFN-L1A□ABL(M)	1	1											
		2-position, maintained		S3SFN-L3A□AL(M)	1	—											
				S3SFN-L3A□2AL(M)	2	—											
				S3SFN-L3A□BL(M)	—	1											
				S3SFN-L3A□2BL(M)	—	2											
				S3SFN-L3A□ABL(M)	1	1											
		2-position, spring return		S3SFN-L1B□AL(M)	1	—											
				S3SFN-L1B□2AL(M)	2	—											
				S3SFN-L1B□BL(M)	—	1											
				S3SFN-L1B□2BL(M)	—	2											
				S3SFN-L1B□ABL(M)	1	1											
		2-position, maintained		S3SFN-L3B□AL(M)	1	—											
				S3SFN-L3B□2AL(M)	2	—											
				S3SFN-L3B□BL(M)	—	1											
				S3SFN-L3B□2BL(M)	—	2											
				S3SFN-L3B□ABL(M)	1	1											
		2-position, spring return		S3SFN-L1□AL(M)	1	—											
				S3SFN-L1□2AL(M)	2	—											
				S3SFN-L1□BL(M)	—	1											
				S3SFN-L1□2BL(M)	—	2											
				S3SFN-L1□ABL(M)	1	1											
※□ indicates color : R , B , G , Y																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
※The LED color is the same as the control unit.																	
• Dimensions																	
(unit: mm)																	
 48.1 30.4  Panel thickness: Max. 6mm 16 39.4 A B <table><tr><td></td><td>A</td><td>B</td></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	



Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block	
					A contact	B contact	AC/DC voltage	AC voltage
Short shark-head lever, flush (illuminated)		3-position, spring return two-way		S3SFN-L5K□2AL(M)	2	—	—	1
				S3SFN-L5K□2BL(M)	—	2		
				S3SFN-L5K□ABL(M)	1	1		
		3-position, maintained		S3SFN-L7K□2AL(M)	2	—		
				S3SFN-L7K□2BL(M)	—	2		
				S3SFN-L7K□ABL(M)	1	1		
		3-position, spring return from right		S3SFN-LAK□2AL(M)	2	—		
				S3SFN-LAK□2BL(M)	—	2		
				S3SFN-LAK□ABL(M)	1	1		
		3-position, spring return from left		S3SFN-LCK□2AL(M)	2	—		
				S3SFN-LCK□2BL(M)	—	2		
				S3SFN-LCK□ABL(M)	1	1		
		3-position, spring return two-way		S3SFN-L5□2AL(M)	2	—		
				S3SFN-L5□2BL(M)	—	2		
				S3SFN-L5□ABL(M)	1	1		
		3-position, maintained		S3SFN-L7□2AL(M)	2	—		
				S3SFN-L7□2BL(M)	—	2		
				S3SFN-L7□ABL(M)	1	1		
		3-position, spring return from right		S3SFN-LA□2AL(M)	2	—		
				S3SFN-LA□2BL(M)	—	2		
				S3SFN-LA□ABL(M)	1	1		
		3-position, spring return from left		S3SFN-LC□2AL(M)	2	—		
				S3SFN-LC□2BL(M)	—	2		
				S3SFN-LC□ABL(M)	1	1		

※□ indicates color : **R**, **B**, **G**, **Y**


※The M in the model name indicates modular type contact block. Models without M are singular contact block.

※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.

※The LED color is the same as the control unit.

• Dimensions

(unit: mm)



	A	B
Singular type	57.7	27.0
Modular type	55.7	25.0

※For panel cut-out dimensions, please refer to page A-105.

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches

Mushroom-head Push Button Switches

Emergency Switches






Pilot Lights

Accessories

Buzzers








Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Short shark-head lever, flush (illuminated)	 S3SFN-L1AG□ 	2-position, spring return		S3SFN-L1A□AD(M)	1	—	1	—									
				S3SFN-L1A□2AD(M)	2	—											
				S3SFN-L1A□BD(M)	—	1											
				S3SFN-L1A□2BD(M)	—	2											
				S3SFN-L1A□ABD(M)	1	1											
		2-position, maintained		S3SFN-L3A□AD(M)	1	—											
				S3SFN-L3A□2AD(M)	2	—											
				S3SFN-L3A□BD(M)	—	1											
				S3SFN-L3A□2BD(M)	—	2											
				S3SFN-L3A□ABD(M)	1	1											
		2-position, spring return		S3SFN-L1B□AD(M)	1	—											
				S3SFN-L1B□2AD(M)	2	—											
				S3SFN-L1B□BD(M)	—	1											
				S3SFN-L1B□2BD(M)	—	2											
				S3SFN-L1B□ABD(M)	1	1											
		2-position, maintained		S3SFN-L3B□AD(M)	1	—											
				S3SFN-L3B□2AD(M)	2	—											
				S3SFN-L3B□BD(M)	—	1											
				S3SFN-L3B□2BD(M)	—	2											
				S3SFN-L3B□ABD(M)	1	1											
		2-position, spring return		S3SFN-L1□AD(M)	1	—											
				S3SFN-L1□2AD(M)	2	—											
				S3SFN-L1□BD(M)	—	1											
				S3SFN-L1□2BD(M)	—	2											
				S3SFN-L1□ABD(M)	1	1											
※□ indicates color : R , B , G , Y																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
※The LED color is the same as the control unit.																	
• Dimensions																	
(unit: mm)																	
  <table><tr><th></th><th>A</th><th>B</th></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	



Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block	
					A contact	B contact	AC/DC voltage	AC voltage
Short shark-head lever, flush (illuminated)	 S3SFN-L1AG□ 	3-position, spring return two-way		S3SFN-L5K□2AD(M)	2	—	1	—
				S3SFN-L5K□2BD(M)	—	2		
				S3SFN-L5K□ABD(M)	1	1		
		3-position, maintained		S3SFN-L7K□2AD(M)	2	—		
				S3SFN-L7K□2BD(M)	—	2		
				S3SFN-L7K□ABD(M)	1	1		
		3-position, spring return from right		S3SFN-LAK□2AD(M)	2	—		
				S3SFN-LAK□2BD(M)	—	2		
				S3SFN-LAK□ABD(M)	1	1		
		3-position, spring return from left		S3SFN-LCK□2AD(M)	2	—		
				S3SFN-LCK□2BD(M)	—	2		
				S3SFN-LCK□ABD(M)	1	1		
		3-position, spring return two-way		S3SFN-L5□2AD(M)	2	—		
				S3SFN-L5□2BD(M)	—	2		
				S3SFN-L5□ABD(M)	1	1		
		3-position, maintained		S3SFN-L7□2AD(M)	2	—		
				S3SFN-L7□2BD(M)	—	2		
				S3SFN-L7□ABD(M)	1	1		
		3-position, spring return from right		S3SFN-LA□2AD(M)	2	—		
				S3SFN-LA□2BD(M)	—	2		
				S3SFN-LA□ABD(M)	1	1		
		3-position, spring return from left		S3SFN-LC□2AD(M)	2	—		
				S3SFN-LC□2BD(M)	—	2		
				S3SFN-LC□ABD(M)	1	1		

※□ indicates color : R B G Y

※The M in the model name indicates modular type contact block. Models without M are singular contact block.


※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots.

It will not operate if connected to the center slot.

※The LED color is the same as the control unit.

• Dimensions

(unit: mm)



	A	B
Singular type	57.7	27.0
Modular type	55.7	25.0

※For panel cut-out dimensions, please refer to page A-105.

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches

Mushroom-head Push Button Switches





Emergency Switches

Pilot Lights

Accessories

Buzzers

Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Long shark-head lever, flush (illuminated)	 S3SFN-L2AG□ 	2-position, spring return		S3SFN-L2A□AL(M)	1	—	—	1									
				S3SFN-L2A□2AL(M)	2	—											
				S3SFN-L2A□BL(M)	—	1											
				S3SFN-L2A□2BL(M)	—	2											
				S3SFN-L2A□ABL(M)	1	1											
		2-position, maintained		S3SFN-L4A□AL(M)	1	—											
				S3SFN-L4A□2AL(M)	2	—											
				S3SFN-L4A□BL(M)	—	1											
				S3SFN-L4A□2BL(M)	—	2											
				S3SFN-L4A□ABL(M)	1	1											
		2-position, spring return		S3SFN-L2B□AL(M)	1	—											
				S3SFN-L2B□2AL(M)	2	—											
				S3SFN-L2B□BL(M)	—	1											
				S3SFN-L2B□2BL(M)	—	2											
				S3SFN-L2B□ABL(M)	1	1											
		2-position, maintained		S3SFN-L4B□AL(M)	1	—											
				S3SFN-L4B□2AL(M)	2	—											
				S3SFN-L4B□BL(M)	—	1											
				S3SFN-L4B□2BL(M)	—	2											
				S3SFN-L4B□ABL(M)	1	1											
		2-position, spring return		S3SFN-L2□AL(M)	1	—											
				S3SFN-L2□2AL(M)	2	—											
				S3SFN-L2□BL(M)	—	1											
				S3SFN-L2□2BL(M)	—	2											
				S3SFN-L2□ABL(M)	1	1											
※□ indicates color : R , B , G , Y																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※The control unit, contact blocks, LED blocks are sold separately. (control unit: bold letters, contact and LED block: regular letters)																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
※The LED color is the same as the control unit.																	
• Dimensions (unit: mm)   <table><tr><td></td><td>A</td><td>B</td></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	



Ø30 Selector Switches

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches

Mushroom-head Push Button Switches

Emergency Switches

Pilot Lights

Accessories

Buzzers

Type	Appearance	Operating position	Model	Contact block		LED block	
				A contact	B contact	AC/DC voltage	AC voltage
Long shark-head lever, flush (illuminated)		3-position, spring return two-way	S3SFN-L6K□2AL(M)	2	—	—	1
			S3SFN-L6K□2BL(M)	—	2		
			S3SFN-L6K□ABL(M)	1	1		
		3-position, maintained	S3SFN-L8K□2AL(M)	2	—		
			S3SFN-L8K□2BL(M)	—	2		
			S3SFN-L8K□ABL(M)	1	1		
		3-position, spring return from right	S3SFN-LBK□2AL(M)	2	—		
			S3SFN-LBK□2BL(M)	—	2		
			S3SFN-LBK□ABL(M)	1	1		
		3-position, spring return from left	S3SFN-LDK□2AL(M)	2	—		
			S3SFN-LDK□2BL(M)	—	2		
			S3SFN-LDK□ABL(M)	1	1		
		3-position, spring return two-way	S3SFN-L6□2AL(M)	2	—		
			S3SFN-L6□2BL(M)	—	2		
			S3SFN-L6□ABL(M)	1	1		
		3-position, maintained	S3SFN-L8□2AL(M)	2	—		
			S3SFN-L8□2BL(M)	—	2		
			S3SFN-L8□ABL(M)	1	1		
		3-position, spring return from right	S3SFN-LB□2AL(M)	2	—		
			S3SFN-LB□2BL(M)	—	2		
			S3SFN-LB□ABL(M)	1	1		
		3-position, spring return from left	S3SFN-LD□2AL(M)	2	—		
			S3SFN-LD□2BL(M)	—	2		
			S3SFN-LD□ABL(M)	1	1		

※□ indicates color : R, B, G, Y

※The M in the model name indicates modular type contact block. Models without M are singular contact block.

※The control unit, contact blocks, LED blocks are sold separately.

(control unit: bold letters, contact and LED block: regular letters)


※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots.

It will not operate if connected to the center slot.

※The LED color is the same as the control unit.

• Dimensions

(unit: mm)








	A	B
Singular type	57.7	27.0
Modular type	55.7	25.0

※For panel cut-out dimensions, please refer to page A-105.



Ø30 Selector Switches

Type	Appearance	Operating position		Model	Contact block		LED block										
					A contact	B contact	AC/DC voltage	AC voltage									
Long shark-head lever, flush (illuminated)	 S3SFN-L2AG□ 	2-position, spring return		S3SFN-L2A□AD(M)	1	—	1	—									
				S3SFN-L2A□2AD(M)	2	—											
				S3SFN-L2A□BD(M)	—	1											
				S3SFN-L2A□2BD(M)	—	2											
				S3SFN-L2A□ABD(M)	1	1											
		2-position, maintained		S3SFN-L4A□AD(M)	1	—											
				S3SFN-L4A□2AD(M)	2	—											
				S3SFN-L4A□BD(M)	—	1											
				S3SFN-L4A□2BD(M)	—	2											
				S3SFN-L4A□ABD(M)	1	1											
		2-position, spring return		S3SFN-L2B□AD(M)	1	—											
				S3SFN-L2B□2AD(M)	2	—											
				S3SFN-L2B□BD(M)	—	1											
				S3SFN-L2B□2BD(M)	—	2											
				S3SFN-L2B□ABD(M)	1	1											
		2-position, maintained		S3SFN-L4B□AD(M)	1	—											
				S3SFN-L4B□2AD(M)	2	—											
				S3SFN-L4B□BD(M)	—	1											
				S3SFN-L4B□2BD(M)	—	2											
				S3SFN-L4B□ABD(M)	1	1											
		2-position, spring return		S3SFN-L2□AD(M)	1	—											
				S3SFN-L2□2AD(M)	2	—											
				S3SFN-L2□BD(M)	—	1											
				S3SFN-L2□2BD(M)	—	2											
				S3SFN-L2□ABD(M)	1	1											
※□ indicates color : R , B , G , Y																	
※The M in the model name indicates modular type contact block. Models without M are singular contact block.																	
※The control unit, contact blocks, LED blocks are sold separately. (control unit: bold letters, contact and LED block: regular letters)																	
※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots. It will not operate if connected to the center slot.																	
※The LED color is the same as the control unit.																	
• Dimensions																	
(unit: mm)																	
																	
<table><tr><td></td><td>A</td><td>B</td></tr><tr><td>Singular type</td><td>57.7</td><td>27.0</td></tr><tr><td>Modular type</td><td>55.7</td><td>25.0</td></tr></table>										A	B	Singular type	57.7	27.0	Modular type	55.7	25.0
	A	B															
Singular type	57.7	27.0															
Modular type	55.7	25.0															
※For panel cut-out dimensions, please refer to page A-105.																	



Ø30 Selector Switches

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches




Mushroom-head Push Button Switches

Emergency Switches

Pilot Lights

Accessories

Buzzers

Type	Appearance	Operating position	Model	Contact block		LED block	
				A contact	B contact	AC/DC voltage	AC voltage
Long shark-head lever, flush (illuminated)	 S3SFN-L2AG□	3-position, spring return two-way	 S3SFN-L6K□2AD(M)	2	—	1	—
			S3SFN-L6K□2BD(M)	—	2		
			S3SFN-L6K□ABD(M)	1	1		
		3-position, maintained	 S3SFN-L8K□2AD(M)	2	—		
			S3SFN-L8K□2BD(M)	—	2		
			S3SFN-L8K□ABD(M)	1	1		
		3-position, spring return from right	 S3SFN-LBK□2AD(M)	2	—		
			S3SFN-LBK□2BD(M)	—	2		
			S3SFN-LBK□ABD(M)	1	1		
		3-position, spring return from left	 S3SFN-LDK□2AD(M)	2	—		
			S3SFN-LDK□2BD(M)	—	2		
			S3SFN-LDK□ABD(M)	1	1		
		3-position, spring return two-way	 S3SFN-L6□2AD(M)	2	—		
			S3SFN-L6□2BD(M)	—	2		
			S3SFN-L6□ABD(M)	1	1		
		3-position, maintained	 S3SFN-L8□2AD(M)	2	—		
			S3SFN-L8□2BD(M)	—	2		
			S3SFN-L8□ABD(M)	1	1		
		3-position, spring return from right	 S3SFN-LB□2AD(M)	2	—		
			S3SFN-LB□2BD(M)	—	2		
			S3SFN-LB□ABD(M)	1	1		
		3-position, spring return from left	 S3SFN-LD□2AD(M)	2	—		
			S3SFN-LD□2BD(M)	—	2		
			S3SFN-LD□ABD(M)	1	1		

※□ indicates color : **R** **B** **G** **Y**

※The M in the model name indicates modular type contact block. Models without M are singular contact block.

※The control unit, contact blocks, LED blocks are sold separately.

(control unit: bold letters, contact and LED block: regular letters)


※Connect up to 2 contact blocks. Connect the contact blocks only on the right and left side slots.

It will not operate if connected to the center slot.

※The LED color is the same as the control unit.

• Dimensions

(unit: mm)




	A	B
Singular type	57.7	27.0
Modular type	55.7	25.0

※For panel cut-out dimensions, please refer to page A-105.

Ø30 Panel Cut-out Dimensions

(unit: mm)

Type		A	B	Panel Cut-out Dimensions
Round Push Button Switches (S3PR/S3PF Series)		 45	55	
Round Selector Switches (S3SF/S3SFN Series)	Short lever	 37	55	
	Long lever	 55	55	
Round Key Selector Switches (S3KF Series)		 37	55	
Pilot Lights (L3RF Series)		 37	55	

Control Switches

Ø16

Ø22/25

Ø30

□30

Push Button Switches

Round

Square

Rectangular

Selector Switches

Round

Square

Rectangular

Key Selector Switches

Round

Square

Rectangular

Double Push Button Switches

Mushroom-head Push Button Switches

Emergency Switches

Pilot Lights

Accessories

Buzzers